Patent 24647-81101 (Previously 0-03-046)

Claim Listing

- 1-8 (Canceled)
- 9. (Currently Amended) A method of for promoting the healing of damaged tissue in a patient in need of such treatment, comprising:

exposing the damaged tissue, which is surrounded by an air impermeable wound cover, to an effective amount of gaseous nitric oxide for a period of time that exceeds eight consecutive hours;

allowing at least a portion of the gaseous nitric oxide to contact the air adjacent to the air impermeable wound cover through the air impermeable wound cover; and

prior to the exposing step, pretreating the damaged tissue with an agent in combination with gaseous nitric oxide in order to enhance its effectiveness and/or absorption.

10. (Currently Amended) A method of for promoting the healing of damaged tissue in a patient in need of such treatment, comprising:

exposing the damaged tissue, which is surrounded by an air impermeable wound cover, to an effective amount of gaseous nitric oxide for a period of time that exceeds eight consecutive hours;

allowing at least a portion of the gaseous nitric oxide to contact the air adjacent to the air impermeable wound cover through the air impermeable wound cover; and

wetting, dampening, or moistening the damaged tissue following the gaseous nitric oxide therapy exposing step.

11. (Currently Amended) A method of for promoting the healing of damaged tissue in a patient in need of such treatment, comprising:

exposing the damaged tissue, which is surrounded by an air impermeable wound cover, to an effective amount of gaseous nitric oxide for a period of time that exceeds eight consecutive hours;

Patent 24647-81101 (Previously 0-03-046)

allowing at least a portion of the gaseous nitric oxide to contact the air adjacent to the air impermeable wound cover through the air impermeable wound cover; and

posttreating the damaged tissue by applying a wound healing agent in combination to gaseous nitric oxide therapy following the gaseous nitric oxide exposing step.

12. (Currently Amended) A method of for promoting the healing of damaged tissue in a patient in need of such treatment, comprising:

exposing the damaged tissue, which is surrounded by an air impermeable wound cover, to an effective amount of gaseous nitric oxide for a period of time that exceeds eight consecutive hours;

allowing at least a portion of the gaseous nitric oxide to contact the air adjacent to the air impermeable wound cover through the air impermeable wound cover; and

posttreating the damaged tissue with an agent in combination with gaseous nitric oxide in order to enhance its effectiveness and/or absorption following the gaseous nitric oxide exposing step.

13. (Previously Presented) A method of for promoting the healing of damaged tissue in a patient in need of such treatment, comprising:

exposing the damaged tissue, which is surrounded by an air impermeable wound cover, to an effective amount of gaseous nitric oxide for a period of time that exceeds eight consecutive hours; and

administering exogenous nitric oxide to tissue flap and surrounding damaged area in order to promote flap viability and increase local blood flow to donated tissue.

14. (Previously Presented) A method for promoting the healing of damaged tissue in a patient in need of such treatment, comprising:

spraying, from a spray container, the damaged tissue with an effective amount of gaseous nitric oxide; and

Patent 24647-81101 (Previously 0-03-046)

Sidley

allowing the gaseous nitric oxide to contact the air adjacent to the damaged tissue.

A method for promoting the healing of damaged tissue in a patient (Currently Amended) 15. in need of such treatment, comprising:

exposing the damaged tissue, which is surrounded by an air impermeable wound cover, to an effective amount of gaseous nitric oxide; and

prior to the exposing step, pretreating the damaged tissue with a wound healing agent other than gaseous nitric oxide.

- (Canceled) 16.
- The method of claim 9 wherein the air impermeable wound cover (Previously Presented) 17. is transparent and allows for permeation of small molecules, while simultaneously preventing microbial contamination of the damaged tissue from a source outside of the wound cover.
- The method of claim 9 wherein the effective amount of gaseous (Previously Presented) 18. nitric oxide ranges from 20-1000 ppm.
- The method of claim 18 wherein the effective amount of gaseous (Previously Presented) 19. nitric oxide is at least 200 ppm.
- The method of claim 18 wherein the effective amount of gaseous (Previously Presented) 20. nitric oxide is at least 400 ppm.
- The method of claim 9 wherein the step of pretreating the damaged (Previously Presented) tissue comprises exposing the damaged tissue directly to the agent in combination with gaseous nitric oxide.
- The method of claim 9 wherein the step of pretreating the damaged (Currently Amended) 22. tissue comprises administering an the agent to the patient that in order to indirectly enhance the local amount of endogenous nitric oxide.

Patent 24647-81101 (Previously 0-03-046)

- 23. (Previously Presented) The method of claim 15 wherein the damaged tissue is selected from the group consisting of muscle, ligament, tendon, skin, bone, and comea.
- 24. (Previously Presented) The method of claim 15 wherein the damaged tissue is damaged by surgical incisions, trauma, and pathological processes.
- 25. (Previously Presented) The method of claim 15 wherein the effective amount of nitric oxide is at least 200 ppm.
- 26. (Previously Presented) The method of claim 15 wherein the effective amount of nitric oxide is at least 400 ppm.